PREVENTION OF ADOLESCENTS'

SUICIADAL IDEATION AND SUICDAL

BEHAVIOUR




PROBLEM

• The 1990s have seen a marked increase in the rates of attempted suicides among girls between the ages of 15 to 19. Studies seem to show that especially among teenagers there are considerable numbers of suicide attempts which are not registered.



Research 2002-2014



Lilian Zøllner, Ph.D.

Centre for Suicide Research

Research

2002 CASE

Students (13-16 years) N=5227

Parents N=4019

Teachers N=305



Research 2002-2014

Vulnerable youths

Serious thoughts of self-harm

Self-harm

Suicide attempt



PREVENTION

	${f N}$	T %	S %
2002	5227	31.5	10.4
2004	649	13.6	8.9
2006	3275	17.4	13.5


PUBLICATIONS

SEMINAR

MEDIA




Significant others



Research 2002-2014

Problems (13-19 years old)





Problems?



N= SERIOUS SELF HARM THOUGHTS OF SELFHARM

2006	3275	17.4%	13.5 %
2008	349	20.1%	15.8 %



PREVENTION TRAVELLERS

Centre for Suicide Research implement a Danish version of the TRAVELLERS (from New Zealand). TRAVELLERS is a school-based intervention programme designed to enhance protective factors for young people experiencing change, loss and events of transition and showing early signs of emotional distress.



PREVENTION

2010 - 2014

INFORMATION TO HEADMASTER PARENTS
TEACHERS
SOCIAL TEAM
PUBLICATION
SEMINAR
MEDIA



	N=	SERIOUS THOUGHTS OF SELFHARM	SELF HARM
2002	5175	32,5 %	10,4 %
2004	649	13.6%	8.9 %
2006	3275	17.4%	13.5 %
2008	349	20.1%	15.8 %
2010	3547	13.3%	13.7 %
2011	3249	18.4	16.0%

•



REASONS FOR LIVING

